

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/18/2015

Reviewed on 05/18/2015

Page 1/9

1 Identification

- · Product identifier
- · Trade name: Nitrate ISE Ionic Strength Adjuster Solution
- · Product number: AJ0N31
- · Relevant identified uses of the substance or mixture and uses advised against
- · Product description 2M (NH₄)₂SO₄ Ammonium Sulfate
- · Application of the substance / the mixture Buffers, Filling & Calibration Solutions
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Analytical Sensors & Instruments, Ltd.
 12800 Park One Drive Sugar Land TX, 77478 www.asi-sensors.com
 Emergency telephone number: Bill Boyne 281-565-8818 x 133

2 Hazard(s) identification

Classification of the substance or mixture

GHS07

Skin Irrit. 2H315Causes skin irritation.Eye Irrit. 2AH319Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:
- Ammonium Sulfate
- · Hazard statements

Causes skin irritation. Causes serious eye irritation.

May cause respiratory irritation.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wear protective gloves.

Wear eye protection / face protection.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/18/2015

Reviewed on 05/18/2015

Trade name: Nitrate ISE Ionic Strength Adjuster Solution

Call a poison center/doctor if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/international regulations. • Classification system: • NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTH1Health = 1FIRE0Fire = 0REACTIVITY0Reactivity = 0

Hazard(s) not otherwise classified (HNOC): None known

3 Composition/information on ingredients		
CAS: 7732-18-5 v RTECS: ZC 0110000	water, distilled, conductivity or of similar purity	70-90%

· Chemical characterization: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

• Dangerous Components:

CAS: 7783-20-2 Ammonium Sulfate	15-35%
RTECS: BS 4500000 🚸 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	

4 First-aid measures

· Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

- · After eye contact:
- Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomitting.

If swallowed and symptoms occur, consult a doctor.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed: No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/18/2015

Reviewed on 05/18/2015

Trade name: Nitrate ISE Ionic Strength Adjuster Solution

5 Fire-fighting measures

· Extinguishing media

Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters

Sodium Nitrate is an oxidizer and will release oxygen gas upon decomposition, which may intensify any fires. Use caution.

Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
 Ensure adequate ventilation
 Avoid contact with skin, eyes and clothing.

 Environmental precautions:
 Dilute with plenty of water.
 Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up:
 Absorb with liquid-binding material (ie. sand, diatomite, acid binders, universal binders, sawdust).
 Dispose contaminated material as waste according to section 13.
 Ensure adequate ventilation.
 Dispose of the collected material according to regulations.
 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- *Requirements to be met by storerooms and receptacles:* No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/18/2015

Reviewed on 05/18/2015

Trade name: Nitrate ISE Ionic Strength Adjuster Solution

· Components with occupational exposure limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

Eye protection:



Tightly sealed goggles

• Body protection:



Protective work clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:
 - Form:
 - Color:
- · Odor:
- Odor threshold:

Liquid Clear, colorless Odorless Not determined.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/18/2015

Reviewed on 05/18/2015

Trade name: Nitrate ISE Ionic Strength Adjuster Solution

· pH-value @ 20 °C (68 °F):	5-6
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not determined. 100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
• Explosion limits: Lower: Upper:	0.0 Vol % 0.0 Vol %
· Vapor pressure @ 20 °C (68 °F):	23 hPa (17 mm Hg)
 Density @ 20 °C (68 °F): Relative density Vapor density Evaporation rate 	1.161 g/cm³ (9.689 lbs/gal) Not determined. Not determined. Not determined.
 Solubility in / Miscibility with Water: 	Fully miscible.
· Partition coefficient (n-octanol/water,	: Not determined.
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.
 Solvent content: Organic solvents: Water: 	0.0 % 70-90 %
Solids content: • Other information	15-35 % No further relevant information available.

* 10 Stability and reactivity

· *Reactivity* No further relevant information available.

· Chemical stability Stable under normal conditions.

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: Strong bases and strong oxidizing agents.

· Hazardous decomposition products: Sulfur Oxides and Nitrogen Oxides (NOx).

(Contd. on page 6)



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Page 6/9

Issue date 05/18/2015

Reviewed on 05/18/2015

Trade name: Nitrate ISE Ionic Strength Adjuster Solution

Information Acute tox	on on toxicolog icity:	ical effects
LD/LC50	values that are	relevant for classification:
7783-20-2	Ammonium Su	Ilfate
Oral	LD50	2840 mg/kg (rat)
Inhalative	LC50/96 hours	36.7 mg/l (Trout)
		433 mg/l (Water flea)
Additiona The produce preparatio Irritant Carcinogo IARC (Inte Group 1 - Group 2A Group 2B Group 3 - Group 4 -	ffect. frious eye irritation for the two set of the two set of t	<i>information:</i> following dangers according to internally approved calculation methods for <i>ncy for Research on Cancer</i>) humans nogenic to humans as to its carcinogenicity to humans rcinogenic to humans
	e ingredients ar	
•	onal Toxicolog	
None of th	e ingredients ar	e listed.
	• •	Safety & Health Administration)
None of th	e ingredients ar	e listed.
Ecologi	cal informati	on
Aquatic to Persisten Behavior Bioaccum	oxicity: No furth ce and degrada in environment nulative potenti	he aquatic environment are unknown. er relevant information available. ability No further relevant information available. tal systems: al No further relevant information available. relevant information available.

- Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB**: Not applicable.
- Other adverse effects No further relevant information available.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/18/2015

Reviewed on 05/18/2015

Trade name: Nitrate ISE Ionic Strength Adjuster Solution

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packagings:
- Recommendation:
- Dispose of as unused product.

Disposal must be made according to official regulations.

14 Transport information

 UN-Number DOT, ADR, ADN, IMDG, IATA UN proper shipping name DOT, ADR, ADN, IMDG, IATA Transport hazard class(es) 	Non-Regulated Material Non-Regulated Material
 DOT, ADR, ADN, IMDG, IATA Class Packing group DOT, ADR, IMDG, IATA Environmental hazards: Special precautions for user Transport in bulk according to Annex a MARPOL73/78 and the IBC Code UN "Model Regulation": 	Non-Regulated Material Non-Regulated Material Not applicable. Not applicable. Il of Not applicable.

5 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical listings):	
7783-20-2 Ammonium Sulfate	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· California Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients are listed.	
• Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
• Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
	(Contd. on pag



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Page 8/9

Issue date 05/18/2015

Reviewed on 05/18/2015

Trade name: Nitrate ISE Ionic Strength Adjuster Solution

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients are listed.

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· GHS label elements

- The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



· Signal word Warning

- *Hazard-determining components of labeling:* Ammonium Sulfate
- · Hazard statements
- Causes skin irritation.

Causes serious eye irritation.

May cause respiratory irritation.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wear protective gloves.

Wear eye protection / face protection.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a poison center/doctor if you feel unwell.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

· State Right to Know		
CAS: 7732-18-5 RTECS: ZC 0110000	water, distilled, conductivity or of similar purity	70-90%

(Contd. on page 9)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/18/2015

Reviewed on 05/18/2015

Trade name: Nitrate ISE Ionic Strength Adjuster Solution

CAS: 7783-20-2 Ammonium Sulfate 15-35% RTECS: BS 4500000 (I) Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 All ingredients are listed. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out. Other information The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose. · Date of preparation / last revision 05/18/2015 / -Abbreviations and acronyms: ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 * * Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106