MASTER MATERIALS AND EQUIPMENT LIST

This Master Materials and Equipment List shows the equipment required to perform the *Structured* version of each lab activity from the *Advanced Physics 1 through Inquiry* lab manual. Italicized entries indicate items not available from PASCO. The quantity indicated is per student or group.

Teachers can conduct some lab activities with sensors and probes other than those listed here. For assistance with substituting compatible sensors and probes for a lab activity, contact PASCO Teacher Support (800-772-8700 inside the United States or http://www.pasco.com/support).

St m of th pc ve 2 N	tudents use a motion sensor to heasure the position and velocity f a cart on a track to determine he graphical relationship between osition, velocity, and acceleration ersus time graphs.	FOR EACH STUDENT STATION Data Collection System PASPORT Motion Sensor PASCO PAStrack PASCO PAScar Four Scale Meter Stick <i>Thick Text Book</i> FOR EACH STUDENT STATION	PS-2103A ME-6960 ME-6950 SE-8695	1 1 1 1 1
m of th pc ve 2 N	easure the position and velocity f a cart on a track to determine he graphical relationship between osition, velocity, and acceleration ersus time graphs.	PASPORT Motion Sensor PASCO PAStrack PASCO PAScar Four Scale Meter Stick <i>Thick Text Book</i>	ME-6960 ME-6950	1 1 1 1
2 N	f a cart on a track to determine he graphical relationship between osition, velocity, and acceleration ersus time graphs. NEWTON'S SECOND LAW tudents use a motion sensor to	PASCO PAStrack PASCO PAScar Four Scale Meter Stick <i>Thick Text Book</i>	ME-6960 ME-6950	1 1 1
2 N	he graphical relationship between osition, velocity, and acceleration ersus time graphs. YEWTON'S SECOND LAW tudents use a motion sensor to	PASCO PAScar Four Scale Meter Stick <i>Thick Text Book</i>	ME-6950	1 1
2 N	vestion, velocity, and acceleration ersus time graphs. VEWTON'S SECOND LAW tudents use a motion sensor to	Four Scale Meter Stick <i>Thick Text Book</i>		1
2 N	EERIN'S SECOND LAW tudents use a motion sensor to	Thick Text Book	SE-8695	-
2 N	EWTON'S SECOND LAW tudents use a motion sensor to			1
	tudents use a motion sensor to	FOR EACH STUDENT STATION		
St				
	storming the valation of in	Data Collection System		1
		PASPORT Motion Sensor	PS-2103A	1
	etween a system's mass,	PASCO PAStrack	ME-6960	1
	cceleration, and the net force	PASCO PAScar	ME-6950	1
DE	eing applied to the system.	PASCO Dynamics Track End Stop	ME-8971	1
		PASCO Super Pulley with Clamp*	w/ME-9433	1
		PASCO 250-g Compact Cart Mass	ME-6755	2
		PASCO Mass and Hanger Set	ME-8979	1
		Thread	ME-9875	1 m
		For the Entire Class		
		Ohaus Scout Pro Balance 2,000-g	SE-8757A	1
3 A'	TWOOD'S MACHINE	FOR EACH STUDENT STATION		
		Data Collection System		1
		PASCO Smart Gate	PS-2180	1
	athematical relationship	PASCO Super Pulley with Mounting Rod*	w/ME-9433	1
	etween the acceleration of an	PASCO Mass and Hanger Set	ME-8979	1
	twood's machine, the difference	PASCO Aluminum Table Clamp	ME-8995	1
	etween its two masses, and the um of those two masses.	60-cm Stainless Steel Rod	ME-8977	1
su	and of those two masses.	Right Angle Clamp	SE-9444	1
		Thread	ME-9875	1 m
		Scissors		1

Lab	Title Materials and Equipment		PASCO Part Number	Qty	
4	COEFFICIENTS OF FRICTION	FOR EACH STUDENT STATION			
	Students use a motion sensor and	Data Collection System		1	
	a force sensor to determine the	PASPORT Motion Sensor	PS-2103A	1	
	static and kinetic friction	PASPORT High Resolution Force Sensor w/hook	PS-2189	1	
	coefficients between two	PASCO Discover Friction Accessory tray	ME-8574	1	
	contacting surfaces.	PASCO 250-g Cart Mass*	w/ME-6950	5	
		Thread	ME-9875	1 m	
		FOR THE ENTIRE CLASS			
		Ohaus Scout Pro Balance 2,000-g	SE-8757A	1	
5	Two Dimensional Motion:	FOR EACH STUDENT STATION			
	Projectiles	Data Collection System		1	
	Students use a photogate and mini	PASCO Smart Gate	PS-2180	1	
	launcher to measure the variables	PASCO Photogate Mounting Bracket	ME-6821A	1	
	that affect the two-dimensional	PASCO Mini Launcher w/bracket	ME-6825A	1	
	motion of a projectile launched	Mini launcher loading rod*	w/ME-6825A	1	
	horizontally, and then use those variables to accurately predict and	Steel ball, 1.6-cm diameter*	w/ME-6825A	1	
	test the projectile's horizontal	Large C Clamp	SE-7285	1	
	range.	Four Scale Meter Stick	SE-8695	1	
		Carbon Paper	SE-8693	3 sheets	
		White Paper, sheet		1 sheet	
		Cardboard, 10"x10" Square		1	
6	CONSERVATION OF MECHANICAL	FOR EACH STUDENT STATION			
	ENERGY	Data Collection System		1	
	Students use a photogate and	PASCO Smart Gate	PS-2180	1	
	dynamics system to explore how a	PASCO Photogate Bracket-IDS	ME-9806	1	
	cart's kinetic energy, gravitational potential energy, and total	PASCO PAStrack	ME-6960	1	
	mechanical energy changes as it	PASCO PAScar	ME-6950	1	
	rolls down an inclined track.	PASCO Dynamics Track Rod Clamp	ME-9836	1	
		PASCO Cart Picket Fence-IDS	ME-9804	1	
		PASCO Angle Indicator	ME-9495A	1	
		PASCO Dynamics Track End Stop	ME-8971	1	
		PASCO Aluminum Table Clamp	ME-8995	1	
		Rod, 45-cm	ME-8736	1	
		Four Scale Meter Stick	SE-8695	1	
		For the Entire Class			
		Ohaus Scout Pro Balance 2,000-g	SE-8757A	1	

ii

Lab	Title Materials and Equipment		PASCO Part Number	Qty	
7	WORK AND KINETIC ENERGY	FOR EACH STUDENT STATION			
	Students use a photogate and	Data Collection System		1	
	dynamics system to investigate the	PASCO Smart Gate	PS-2180	1	
	relationship between the change in		ME-9806	1	
	kinetic energy of an object experiencing a non zero net	PASCO PAStrack	ME-6960	1	
	conservative force and the work	PASCO PAScar	ME-6950	1	
	done by that net force on the	PASCO Dynamics Track Rod Clamp	ME-9836	1	
	object, and then use their data to	PASCO Cart Picket Fence-IDS	ME-9804	1	
	establish a measurement-based	PASCO Angle Indicator	ME-9495A ME-8971	1	
	relationship between work and	PASCO Dynamics Track End Stop PASCO Aluminum Table Clamp	ME-8971 ME-8995	1 1	
	kinetic energy.	Rod, 45-cm	ME-8995 ME-8736	1	
		Four Scale Meter Stick	SE-8695	1	
		Four Scale Meter Stick	SE-9035	1	
		For the Entire Class			
		Ohaus Scout Pro Balance 2,000-g	SE-8757A	1	
8	CONSERVATION OF MOMENTUM	FOR EACH STUDENT STATION			
	Students use a motion sensor and	Data Collection System		1	
	a dynamics system to demonstrate	PASPORT Motion Sensor	PS-2103A	2	
	that linear momentum and kinetic	PASCO PAStrack	ME-6960	1	
	energy are conserved in an elastic collision, and linear momentum is	PASCO PAScar	ME-6950	2	
	conserved but kinetic energy is not conserved in an inelastic collision.	PASCO 250-g Cart Mass*	w/ME-6950	2	
		FOR THE ENTIRE CLASS			
		Ohaus Scout Pro Balance 2,000-g	SE-8757A	1	
9	Momentum and Impulse	FOR EACH STUDENT STATION			
U	Students use a motion sensor,	Data Collection System		1	
	force sensor, and dynamics system	PASPORT Motion Sensor	PS-2103A	1	
	to investigate the relationship	PASPORT High Resolution Force Sensor	PS-2103A	1	
	between the change in momentum	PASCO PAScar	ME-6950	1	
	of a cart undergoing a collision and	PASCO PAStrack	ME-6960	1	
	the impulse imparted to the cart to	PASCO Dynamics Track Rod Clamp	ME-9836	1	
	change its momentum, and then use their data to establish a	PASCO Discover Collision Bracket	ME-8973	1	
	measurement-based relationship	PASCO Aluminum Table Clamp	ME-8995	1	
	between change in momentum and impulse.	-	ME-8736	1	
		For the Entire Class			
		Ohaus Scout Pro Balance 2,000-g	SE-8757A	1	

Lab	Title Materials and Equipment		PASCO Part Number	Qty
10	ROTATIONAL DYNAMICS	FOR EACH STUDENT STATION		
	Students use a rotary motion	Data Collection System		1
	sensor to determine the	PASPORT Rotary Motion Sensor	PS-2120	1
	mathematical relationship	PASCO Pendulum Accessory	ME-8969	1
	between torque, rotational inertia, and angular acceleration of a	PASCO Super Pulley with Clamp*	w/ME-9433	1
	rotating object.	PASCO Mass and Hanger Set	ME-8979	1
	lotating object.	PASCO Aluminum Table Clamp	ME-8995	1
		60-cm Stainless Steel Rod	ME-8977	1
		Four Scale Meter Stick	SE-8695	1
		Thread	ME-9875	2 m
		Stainless Steel Calipers	SF-8711	1
		Scissors		1
		For the Entire Class		
		Ohaus Scout Pro Balance 2,000-g	SE-8757A	1
11	ROTATIONAL STATICS	FOR EACH STUDENT STATION		
	Students use a force sensor and	Data Collection System		1
	tension protractor to demonstrate that the sum of the forces acting	PASPORT High Resolution Force Sensor w/rubber bumper	PS-2189	1
	on an object in static translational	PASCO Tension Protractor	ME-6855	2
	equilibrium is equal to zero, and	PASCO Aluminum Table Clamp	ME-8995	2
	the sum of the torques acting on an object in static rotational	90-cm Stainless Steel Rod	ME-8738	1
	equilibrium is equal to zero.	60-cm Stainless Steel Rod	ME-8977	2
	equilibrium is equal to zero.	Right Angle Clamp	SE-9444	2
		Hooked Mass Set	SE-8759	1
		Four Scale Meter Stick	SE-8695	1
		Thread	ME-9875	2 m
		Tape		1 roll
		AA-cell Battery or similar cylindrical object Scissors		1
12	PERIODIC MOTION: MASS AND	FOR EACH STUDENT STATION		
	SPRING	Data Collection System		1
	Students use a motion sensor to	PASPORT Motion Sensor	PS-2103A	1
	determine the physical properties	PASCO Demonstration Spring Set	ME-9866	1
	of a hanging mass and spring system that affect its period of	PASCO Aluminum Table Clamp	ME-8995	1
	oscillation, and then use their data	90-cm Stainless Steel Rod	ME-8738	1
	to support a mathematical model	Rod, 45-cm	ME-8736	1
	relating period, mass, and spring	Right Angle Clamp	SE-9444	1
	constant.	Hooked Mass Set Four Scale Meter Stick	SE-8759	1
		Four Scale Meter Stick Tape	SE-8695	1 1 roll
		Tupe		1 1011

Lab	Title Materials and Equipment		PASCO Part Number	Qty
13	SIMPLE PENDULUM	FOR EACH STUDENT STATION		
	Students use a photogate and	Data Collection System		1
	pendulum to determine the	PASCO Smart Gate	PS-2180	1
	physical properties of a simple	PASCO Photogate Pendulum Set	ME-8752	1
	pendulum that affect its period, and then use their data to support	PASCO Pendulum Clamp	ME-9506	1
	a mathematical model relating	PASCO Aluminum Table Clamp	ME-8995	1
	period to pendulum arm length.	90-cm Stainless Steel Rod	ME-8738	1
	r r	Four Scale Meter Stick	SE-8695	1
		Thread	ME-9875	2 m
		Scissors		1
		For the Entire Class		
		Ohaus Scout Pro Balance 2,000-g	SE-8757A	1
14	RESONANCE AND STANDING WAVES	FOR EACH STUDENT STATION		
	Students use a resonance air	PASCO Resonance Air Column	WA-9606	1
	column, tuning forks, and the	Tuning Fork Set	SE-7342	1
	principles of resonance and standing waves for a pipe with one closed end to experimentally determine a value for the speed of sound in air.	Four Scale Meter Stick	SE-8695	1
15	DC CIRCUITS	FOR EACH STUDENT STATION		
	Students use a voltage–current	Data Collection System		1
	sensor and an AC/DC electronics	PASPORT Voltage Current sensor	PS-2115	1
	laboratory to construct simple	PASCO AC/DC Electronics Lab Kit	EM-8656	1
	resistor circuits with resistors in	4-mm Banana Plug Patch Cord*	w/PS-2115	2
	series or in parallel, or both (with at most one parallel loop of	4-mm Banana Plug Alligator Clip*	w/PS-2115	4
	resistors), to demonstrate the	Resistor, $4.7 \cdot \Omega^*$	w/EM-8656	1
	validity of Kirchhoff's loop rule	Resistor, 33-Ω*	w/EM-8656	1
	(conservation of energy), and	Resistor, $10-\Omega^*$	w/EM-8656	1
	Kirchhoff's junction rule (conservation of charge).	D-cell Battery		1

* These items are included with the specific kit, apparatus, or sensor used in the experiment.

ACTIVITY BY PASCO ITEM

This table indicates which lab activities use the PASCO scientific sensors or special equipment listed. The quantities shown indicate the number of each item required to complete all the activities that require the specified item.

Items Available from PASCO	PASCO Part Number	Qty	Activity Where Used
PASCO SENSORS			
PASPORT High Resolution Force Sensor w/hook	PS-2189	1	4, 9, 11
PASPORT Motion Sensor	PS-2103A	2	1, 2, 4, 8, 9, 12
PASPORT Rotary Motion Sensor	PS-2120	1	10
PASCO Smart Gate	PS-2180	1	3, 5, 6, 7, 13
PASPORT Voltage Current sensor	PS-2115	1	15
PASCO LABWARE			
PASCO 250-g Cart Mass*	w/ME-6950	5	4, 8
PASCO 250-g Compact Cart Mass	ME-6755	2	2
PASCO AC/DC Electronics Lab Kit	EM-8656	1	15
PASCO Angle Indicator	ME-9495A	1	6, 7
PASCO Aluminum Table Clamp	ME-8995	2	3, 6, 7, 9, 10, 11, 12, 13
PASCO Cart Picket Fence-IDS	ME-9804	1	6, 7
PASCO Demonstration Spring Set	ME-9866	1	12
PASCO Discover Collision Bracket	ME-8973	1	9
PASCO Discover Friction Accessory tray	ME-8574	1	4
PASCO Dynamics Track End Stop	ME-8971	1	2, 6, 7
PASCO Mass and Hanger Set	ME-8979	1	2, 3, 10
PASCO Mini Launcher w/bracket	ME-6825A	1	5
PASCO PAScar	ME-6950	2	1, 2, 6, 7, 8, 9
PASCO PAStrack	ME-6960	1	1, 2, 6, 7, 8, 9
PASCO Pendulum Accessory	ME-8969	1	10
PASCO Pendulum Clamp	ME-9506	1	13
PASCO Photogate Bracket-IDS	ME-9806	1	6, 7
PASCO Photogate Mounting Bracket	ME-6821A	1	5
PASCO Photogate Pendulum Set	ME-8752	1	13
PASCO Dynamics Track Rod Clamp	ME-9836	1	6, 7, 9
PASCO Resonance Air Column	WA-9606	1	14
PASCO Super Pulley Kit	ME-9433	1	2, 3, 10
PASCO Tension Protractor	ME-6855	2	11
OTHER LABWARE			
45-cm Rod	ME-8736	1	6, 7, 9, 11, 12
60-cm Stainless Steel Rod	ME-8977	2	3, 10, 11
90-cm Stainless Steel Rod	ME-8738	1	11, 12, 13
Carbon Paper	SE-8693	3 sheets	5

Items Available from PASCO	PASCO Part Number	Qty	Activity Where Used
Four Scale Meter Stick	SE-8695	1	1, 5, 6, 7, 10, 11, 12, 13, 14
Hooked Mass Set	SE-8759	1	11, 12
Large C Clamp	SE-7285	1	5
Ohaus Scout Pro Balance 2,000-g	SE-8757A	1	2, 4, 6, 7, 8, 9, 10, 13
Right Angle Clamp	SE-9444	2	3, 11, 12
Stainless Steel Calipers	SF-8711	1	10
Thread	ME-9875	9 m	2, 3, 4, 10, 11
Tuning Fork Set	SE-7342	1	14

* These items are included with the specific kit, apparatus, or other sensor.